



**Institut Universitaire de Technologie,
Aix-Marseille Université**

ANNEXES
Diplôme Universitaire de Technologie
Spécialité Réseaux et Télécommunications

Mise en place d'un serveur de supervision
NAGIOS

Drissia Chaouch

Institut FRESNEL

Responsable entreprise : Frédéric Forestier
Responsable académique : Delphine Rousseau

2017

Last Updated: Fri Jun 9 11:13:03 CEST 2017
 Updated every 90 seconds
 Nagios® Core™ 4.2.0 - www.nagios.org
 Logged in as nagiosadmin

Up 37 0 0 0 0
 Down Unreachable Pending 0
 Warning 110 1 8 12 0
 Unknown Critical Pending 0
 All Problems All Types

View Service Status Detail For All Host Groups
 View Host Status Detail For All Host Groups
 View Status Summary For All Host Groups
 View Status Grid For All Host Groups

General
 Home
 Documentation

Current Status

- Tactical Overview
- Map (Legacy)
- Hosts
- Services
- Host Groups
- Summary
- Grid
- Service Groups
- Summary
- Grid
- Problems
- Services (Unhandled)
- Hosts (Unhandled)
- Network Outages

Quick Search:

Reports

- Availability
- Trends (Legacy)
- Alerts
- History
- Summary
- Histogram (Legacy)
- Notifications
- Event Log

System

- Comments
- Downtime
- Process Info
- Performance Info
- Scheduling Queue
- Configuration

Service Overview For All Host Groups

Host	Status	Services	Actions
Network switches (Autres)			
Routeur_Fortigate	UP	2 OK	
SwitchPhoto	UP	2 OK	
SwitchTête	UP	1 UNKNOWN	
SwitchTête	UP	2 OK	
SwitchTête	UP	1 UNKNOWN	
Network switches (Fresnel)			
DKEXI	UP	4 UNKNOWN	
DNS1	UP	5 OK	
DNS2	UP	5 OK	
Machine Roger	UP	4 CRITICAL	
Opto48	UP	4 CRITICAL	
PROX1	UP	4 OK	
PROX2	UP	4 OK	
PROX3	UP	4 OK	
PROX4	UP	4 OK	
Serveur Mail	UP	5 OK	
Serveur Web	UP	1 WARNING	
Stromboli	UP	5 OK	
WAPT	UP	4 OK	
Linux Servers (linux-servers)			
localhost	UP	8 OK	
localhost	UP	8 OK	
Network Printers (network-printers)			
Imprimante_1er	UP	1 OK	
Imprimante_2ème	UP	1 OK	
Imprimante_RDC	UP	1 OK	
Switch du 1er Etage (switch1)			
Est_Procurve24Saturé	UP	3 OK	
Ouest_3com48Saturé	UP	3 OK	
Switch du 2ème Etage (switch2)			
Est_3com	UP	3 OK	
Ouest_3com48Saturé	UP	3 OK	
Ouest_Procurve48	UP	2 OK	
Ouest_Procurve48	UP	1 CRITICAL	
Switch du 3ème Etage (switch3)			
Est_3comSaturé	UP	3 OK	
Est_Procurve24_VB	UP	3 OK	
Ouest_HpProcurve24	UP	2 OK	
Ouest_Procurve24	UP	1 CRITICAL	
Ouest_NewHp	UP	3 OK	
Switch Salles des Machines (switchSM)			
3com_246	UP	2 OK	
3com_246	UP	1 UNKNOWN	
3com_248	UP	2 OK	
3com_248	UP	1 UNKNOWN	
Switch du RDC (switchRDC)			
Est_Procurve24	UP	3 OK	
Est_Procurve48	UP	2 OK	
Est_Procurve48	UP	1 CRITICAL	
Ouest_Procurve48_rdc	UP	2 OK	
Ouest_Procurve48_rdc	UP	1 CRITICAL	